



PATHOGEN ANALYSIS THROUGH
HIGH-QUALITY QPCR

SAFETY DATA SHEET (SDS)

PATHq Positive Control - *Serratia marcescens*

REAGENT CODE

PC-SMA-001

Component of the PATHq

Serratia marcescens Real-Time PCR Kit

KIT CODE

PATHq-SMA-001



SECTION 1

Identification of the substance/mixture and of the undertaking

PRODUCT NAME:

PATHq Positive Control - *Serratia marcescens*

PRODUCT CODE:

PC-SMA-001

PRODUCT TYPE:

Mixture

COMPONENT OF:

PATHq *Serratia marcescens* Real-Time PCR Kit

INTENDED USE

Component of the PATHq *Serratia marcescens* Real-Time PCR Kit intended for laboratory use in qualitative Real-Time PCR applications.

KIT CODE:

PATHq-SMA-001

Use restrictions: For Research Use Only (RUO). Not for use in diagnostic procedures.

SUPPLIER:

OVISLab S.L.

Avenida Comas y Masferrer 31

Llinars del Vallés, Barcelona, Spain

Email: pathqsupport@ovislab.com

EMERGENCY CONTACT:

OVISLab S.L.

Email: mcasas@ovislab.com

Tel: +34 93 841 11 11

SECTION 2

Hazard identification

Classification (CLP Regulation (EC) No 1272/2008):

This mixture is not classified as hazardous.

LABEL ELEMENTS:

No hazard pictograms required.

No signal word required.

This product does not contain substances classified as PBT or vPvB.

SECTION 3

Composition / information on ingredients

MIXTURE DESCRIPTION: Aqueous buffered solution containing synthetic DNA corresponding to the target sequence of *Serratia marcescens*, with stabilizing agents.

HAZARDOUS COMPONENTS: This product does not contain substances classified as hazardous at reportable concentrations.

SECTION 4

First aid measures

SKIN CONTACT: Wash with water.

EYE CONTACT: Rinse cautiously with water for several minutes.

INGESTION: Not expected to present a hazard under normal laboratory conditions.

INHALATION: Not expected to be hazardous.

GENERAL ADVICE: If symptoms occur, seek medical advice.

SECTION 5

Firefighting measures

SUITABLE EXTINGUISHING MEDIA: Water spray, CO₂, foam, dry chemical.

SPECIFIC HAZARDS: No specific hazards known.

PROTECTIVE EQUIPMENT: Use standard protective equipment for chemical fires.

SECTION 6

Accidental release measures

Personal precautions: Wear appropriate personal protective equipment (gloves, lab coat, eye protection).

Environmental precautions: Avoid release to drains where possible.

Clean-up methods: Absorb with inert material and dispose appropriately.

SECTION 7

Handling and storage

HANDLING:

Handle with care to avoid contamination of laboratory environment.

Avoid aerosol generation.

Do not open reaction vessels after amplification.

STORAGE:

Store at -20 ± 5 °C.

Avoid repeated freeze-thaw cycles.

SECTION 8

Exposure controls / personal protection

ENGINEERING CONTROLS:

No specific requirements under normal laboratory use.

PPE:

- Protective Gloves
- Lab coat
- Eye protection

HYGIENE:

Wash hands after handling.

SECTION 9

Physical and chemical properties

PHYSICAL state: Liquid

COLOUR: Colourless

ODOUR: None

pH: No data available

SECTION 10

Stability and reactivity

STABILITY: Stable under recommended conditions.

REACTIVITY: No known hazardous reactions.

AVOID: Repeated freeze-thaw cycles.

SECTION 11

Toxicological information

No known acute or chronic toxic effects under normal conditions of laboratory use.

SECTION 12

Ecological information

No known environmental hazards.

SECTION 13

Disposal considerations

Dispose of contents and container in accordance with local regulations for laboratory waste.

SECTION 14

Transport information

Not classified as hazardous for transport.

SECTION 15

Regulatory information

This product complies with Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP).

SECTION 16

Other information

This document provides guidance for safe handling under laboratory conditions.
Research Use Only (RUO). Not for use in diagnostic procedures.

PATHq

Version: V01 - Date: 08/2026
Research Use Only (RUO). Not for use in diagnostic procedures.

Safety Data Sheet (SDS)
PATHq Positive Control - *Serratia marcescens*

OVISLab S.L.
Avenida Comas y Masferrer, 31. Apartado de Correos 40 - 08450 Llinars del Vallés
T. 93.841.11.11 - F. 93.841.23.35
ovislab@ovislab.com - www.ovislab.com

For technical assistance contact: pathqsupport@ovislab.com

q